

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

1 1. (Currently Amended) A method of communicating information received
2 during a multimedia presentation, comprising:
3 providing an adapter ~~coupled to a first source~~ comprising a transceiver;
4 receiving, at the adapter, multimedia presentation at least one of video
5 information or audio information from the a first source system, the at least one of video
6 information or audio information generated from a presentation file; multimedia presentation
7 information comprising video information and audio information;
8 receiving, at the adapter, at least one of audio or video information from a capture
9 device, the information captured by the capture device from a second source separate
10 from the first source during the multimedia presentation; and
11 communicating, from the adapter using the transceiver, the multimedia
12 presentation information received from the first source system and the information received from
13 the capture device second source from the adapter to a device.

1 2. (Currently Amended) The method of claim 1:
2 wherein the information received by the adapter from the second source capture
3 device includes audio information and the capture device is an audio capture device coupled to
4 the adapter; and
5 ~~wherein receiving the information from the second source comprises:~~
6 providing a listening device ~~coupled to the adapter; and~~
7 receiving the audio information from the second source via the listening
8 device.

1 3. (Currently Amended) The method of claim 1 further comprising: wherein
2 ~~communicating the multimedia presentation information received from the first source and the~~
3 ~~information received from the second source from the adapter to the device comprises:~~

4 processing, at the adapter, the ~~multimedia presentation~~ information received from
5 the first ~~source~~ system and the information received from the capture device ~~second source~~ to
6 generate a first representation ~~of the multimedia presentation information and the information~~
7 ~~received from the second source; and~~

8 wherein communicating the information from the adapter comprises transmitting
9 at least a portion of the first representation from the adapter to the device.

1 4. (Currently Amended) The method of claim 3 wherein transmitting at least
2 a portion of the first representation ~~to the device~~ comprises:

3 receiving, at the adapter, a request from ~~the a~~ device requesting transmission of a
4 first portion of the first representation ~~of the multimedia presentation information and the~~
5 ~~information received from the second source;~~

6 in response to the request, determining the first portion of the first representation
7 requested by the device; and

8 transmitting the first portion of the first representation to the device.

1 5. (Currently Amended) The method of claim 4 wherein the request received
2 from the device requests transmission of ~~multimedia presentation~~ information received by the
3 adapter from the first ~~source~~ system.

1 6. (Currently Amended) The method of claim 4 wherein the request received
2 from the device requests transmission of information received by the adapter from the capture
3 device ~~second source~~.

1 7. (Original) The method of claim 4 wherein the request received from the
2 device requests transmission of audio information received by the adapter.

1 8. (Original) The method of claim 4 wherein the request received from the
2 device requests transmission of video information received by the adapter.

1 9. (Currently Amended) The method of claim 4 wherein the request received
2 from the device requests transmission of audio ~~and~~ or video information received by the adapter
3 from the first ~~source~~ system and the capture device ~~second-source~~ between a start time and an
4 end time.

1 10. (Currently Amended) The method of claim 3 wherein processing the
2 ~~multimedia-presentation~~ information received from the first ~~source~~ system and the information
3 received from the capture device ~~second-source~~ to generate the first representation comprises:
4 selecting a plurality of video frames from ~~the~~ video information received by the
5 adapter; and
6 synchronizing the plurality of video frames with ~~the~~ audio information ~~included in~~
7 ~~the multimedia-presentation information received from the first source and with audio~~
8 ~~information included in the information received from the second source~~ received by the adapter;
9 and
10 storing information related to the plurality of video frames.

1 11. (Currently Amended) The method of claim 10:
2 wherein processing the ~~multimedia-presentation~~ information received from the
3 first ~~source~~ system and the information received from the capture device ~~second-source~~ to
4 generate the first representation further comprises:
5 generating a web page for each video frame in the plurality of ~~vide~~ video
6 frames, each web page including a video frame;
7 assigning a uniform resource locator (URL) to each web page; and
8 wherein transmitting at least a portion of the first representation ~~to the device~~
9 comprises transmitting at least one URL assigned to a web page ~~to the device~~.

1 12. (Currently Amended) The method of claim 11 wherein transmitting at
2 least a portion of the first representation ~~to the device~~ comprises:
3 receiving, at the adapter, a request from ~~the a device comprising~~ identifying a first
4 URL;
5 in response to the request, determining a first web page corresponding to the first
6 URL; and
7 transmitting the first web page to the device.

1 13. (Currently Amended) The method of claim 10 wherein transmitting at
2 least a portion of the first representation ~~to the device~~ comprises:
3 receiving, at the adapter, a request from ~~the a device~~ requesting transmission of a
4 set of video frames from the plurality of video frames; and
5 in response to the request, transmitting the set of video frames to the device.

1 14. (Currently Amended) A computer program product stored on a computer
2 readable medium and executed by an adapter for communicating information received during a
3 multimedia presentation, comprising:
4 code for receiving ~~multimedia presentation~~ information from ~~the a first source~~
5 system, the ~~multimedia presentation~~ information comprising at least one of video information
6 and or audio information generated from a presentation file;
7 code for receiving at least one of audio or video information from a capture
8 device, second source separate from the first source the at least one of audio or video information
9 captured by the capture device during the multimedia presentation; and
10 code for communicating the ~~multimedia presentation~~ information received from
11 the first source system and the information received from the capture device ~~second source to a~~
12 device.

1 15. (Currently Amended) The computer program product of claim 14:

2 wherein the information received from the capture device ~~second source~~ includes
3 audio information and the capture device is an audio capture device coupled to the adapter; and
4 ~~wherein the code for receiving the information from the second source comprises~~
5 ~~code for receiving the audio information from the second source via a listening device.~~

1 16. (Currently Amended) The computer program product of claim [[1]] 14
2 further comprising: ~~wherein the code for communicating the multimedia presentation~~
3 ~~information received from the first source and the information received from the second source~~
4 ~~to the device comprises:~~

5 code for processing the ~~multimedia presentation~~ information received from the
6 first ~~source~~ system and the information received from the capture device ~~second source~~ to
7 generate a first representation ~~of the multimedia presentation information and the information~~
8 ~~received from the second source;~~ and

9 wherein the code for communicating the information received from the first
10 system and the capture device comprises code for transmitting at least a portion of the first
11 representation ~~to the device.~~

1 17. (Currently Amended) The computer program product of claim 16 wherein
2 the code for transmitting at least a portion of the first representation ~~to the device~~ comprises:

3 code for receiving a request from ~~the~~ a device requesting transmission of a first
4 portion of the first representation ~~of the multimedia presentation information and the information~~
5 ~~received from the second source;~~

6 in response to the request, code for determining the first portion of the first
7 representation requested by the device; and

8 code for transmitting the first portion of the first representation to the device.

1 18. (Currently Amended) The computer program product of claim 17 wherein
2 the request received from the device requests transmission of ~~multimedia presentation~~
3 information received from the first ~~source~~ system.

1 19. (Currently Amended) The computer program product of claim 17 wherein
2 the request received from the device requests transmission of information received from the
3 capture device ~~second source~~.

1 20. (Currently Amended) The computer program product of claim 17 wherein
2 the request received from the device requests transmission of audio information received from
3 the first ~~source~~ system and the capture device ~~second source~~.

1 21. (Currently Amended) The computer program product of claim 17 wherein
2 the request received from the device requests transmission of video information received from
3 the first ~~source~~ system and the capture device ~~second source~~.

1 22. (Currently Amended) The computer program product of claim 17 wherein
2 the request received from the device requests transmission of audio or ~~and~~ video information
3 received from the first ~~source~~ system and the capture device ~~second source~~ between a start time
4 and an end time.

1 23. (Currently Amended) The computer program product of claim 16 wherein
2 the code for processing the ~~multimedia presentation~~ information received from the first ~~source~~
3 system and the information received from the capture device ~~second source~~ to generate the first
4 representation comprises:

5 code for selecting a plurality of video frames from the video information received
6 from the first ~~source~~ system and from the capture device ~~second source~~; and

7 code for synchronizing the plurality of video frames with the audio information
8 ~~included in the multimedia presentation information~~ received from the first ~~source~~ system and
9 with audio information ~~included in the information~~ received from the capture device ~~second~~
10 ~~source~~; and

11 code for storing information related to the plurality of video frames.

1 24. (Currently Amended) The computer program product of claim 23

2 wherein the code for processing the ~~multimedia presentation~~ information received
3 from the first ~~source system~~ and the information received from the capture device ~~second source~~
4 to generate the first representation further comprises:

5 code for generating a web page for each video frame in the plurality of
6 ~~vide~~ video frames, each web page including a video frame;

7 code for assigning a uniform resource locator (URL) to each web page;
8 and

9 wherein the code for transmitting at least a portion of the first representation ~~to~~
10 ~~the device~~ comprises code for transmitting at least one URL assigned to a web page ~~to the~~
11 ~~device~~.

1 25. (Currently Amended) The computer program product of claim 24 wherein
2 the code for transmitting at least a portion of the first representation ~~to the device~~ comprises:

3 code for receiving a request from ~~the~~ a device ~~comprising~~ identifying a first URL;
4 in response to the request, code for determining a first web page corresponding to
5 the first URL; and

6 code for transmitting the first web page to the device.

1 26. (Currently Amended) The computer program product of claim 23 wherein
2 the code for transmitting at least a portion of the first representation ~~to the device~~ comprises:

3 code for receiving a request from ~~the~~ a device requesting transmission of a set of
4 video frames from the plurality of video frames; and

5 in response to the request, code for transmitting the set of video frames to the
6 device.

1 27. (Currently Amended) A system for communicating information received
2 during a multimedia presentation ~~to a device~~, the system comprising:

3 an input module; and

4 a communication module;

5 wherein the input module is configured to:

6 ~~a first module configured to receive multimedia presentation at least one~~
7 ~~of audio or video information from a first source system, the at least one of video~~
8 ~~information or audio information generated from a presentation file; and multimedia~~
9 ~~presentation information comprising video information and audio information;~~
10 ~~a second module configured to receive information from a capture device,~~
11 ~~the information received from the capture device comprising at least one of audio or~~
12 ~~video information captured by the capture device from a second source separate from the~~
13 ~~first source during the multimedia presentation; and~~
14 ~~a processor;~~
15 ~~a memory coupled to the processor, the memory configured to store a plurality of~~
16 ~~code modules for execution by the processor; and~~
17 ~~wherein the communication module is configured to a transmitter configured to~~
18 ~~communicate the multimedia presentation information received from the first source system and~~
19 ~~the information received from the capture device second source to the device.~~

1 28. (Currently Amended) The system of claim 27 wherein:
2 the information received by the input module from the capture device ~~second~~
3 ~~source~~ includes audio information; and
4 the capture device is an audio capture device ~~second module comprises a listening~~
5 ~~device configured to record receive the audio information during the presentation from the~~
6 ~~second source.~~

1 29. (Currently Amended) The system of claim ~~[[1]]~~ 27 further comprising
2 ~~wherein:~~
3 a processor;
4 wherein the processor is configured to the plurality of code modules stored in the
5 ~~memory includes a code module for processing process the multimedia presentation information~~
6 ~~received from the first source system and the information received from the capture device~~
7 ~~second source to generate a first representation of the multimedia presentation information and~~
8 ~~the information received from the second source; and~~

9 wherein the transmitter communication module is configured to communicate at
10 least a portion of the first representation ~~to the device~~.

1 30. (Currently Amended) The system of claim 29 further ~~comprising a third~~
2 ~~module~~ configured to receive a request from ~~the a~~ device requesting transmission of a first
3 portion of the first representation ~~of the multimedia presentation information and the information~~
4 ~~received from the second source~~, and wherein:

5 the processor is configured to determine plurality of code modules stored by the
6 ~~memory includes a code module for determining~~ the first portion of the first representation
7 requested by the device; and

8 the transmitter communication module is configured to communicate the first
9 portion of the first representation to the device.

1 31. (Currently Amended) The system of claim 30 wherein the request
2 received from the device requests transmission of ~~multimedia presentation~~ information received
3 ~~by the first module~~ from the first ~~source~~ system.

1 32. (Currently Amended) The system of claim 30 wherein the request
2 received from the device requests transmission of information received ~~by the second module~~
3 from the capture device ~~second source~~.

1 33. (Currently Amended) The system of claim 30 wherein the request
2 received from the device requests transmission of audio information received ~~by the first module~~
3 ~~and the second module~~ from the first system and the capture device.

1 34. (Currently Amended) The system of claim 30 wherein the request
2 received from the device requests transmission of video information received ~~by the first module~~
3 ~~and the second module~~ from the first system and the capture device.

1 35. (Currently Amended) The system of claim 30 wherein the request
2 received from the device requests transmission of audio or ~~and~~ video information received from

3 the first ~~source~~ system and the capture device ~~second source~~ between a start time and an end
4 time.

1 36. (Currently Amended) The system of claim 29 wherein the processor ~~code~~
2 ~~module for processing the multimedia presentation information received from the first source~~
3 ~~and the information received from the second source to generate the first representation~~ is further
4 configured to select a plurality of video frames from the video information received by the first
5 input ~~module and the second module~~, to synchronize the plurality of video frames with the audio
6 information ~~included in the multimedia presentation information~~ received by the first input
7 ~~module from the first source and with audio information included in the information received by~~
8 ~~the second module from the second source~~, and to store the information related to the plurality of
9 video frames.

1 37. (Currently Amended) The system of claim 36 wherein:
2 the processor is configured to:
3 the plurality of code modules stored by the memory includes:
4 a ~~code module for generating~~ generate a web page for each video frame in
5 the plurality of ~~vide~~ video frames, each web page including a video frame; and
6 a ~~code module for assigning~~ assign a uniform resource locator (URL) to
7 each web page; and
8 the ~~transmitter~~ communication module is configured to communicate at least one
9 URL assigned to a web page ~~to the device~~.

1 38. (Currently Amended) The system of claim 37 further configured to
2 ~~comprising a third module configured to receive a request from the a device comprising~~
3 identifying a first URL, and wherein:
4 the processor ~~plurality of code modules stored in the memory includes a code~~
5 ~~module for determining~~ is configured to determine a first web page corresponding to the first
6 URL ~~in response to the request~~; and

7 the communication module transmitter is configured to communicate the first web
8 page to the device.

1 39. (Currently Amended) The system of claim 36 further ~~comprising a third~~
2 ~~module~~ configured to receive a request from ~~the a~~ device requesting transmission of a set of
3 video frames from the plurality of video frames, and wherein, in response to the request, the
4 ~~transmitter~~ communication module is configured to transmit the set of video frames to the
5 device.

1 40. (New) A method of communicating information received during
2 presentation of information from a presentation file, comprising:
3 providing an adapter;
4 receiving, at the adapter, at least one of video information or audio information
5 from a first data processing system, the at least one of video information or audio information
6 received during presentation of the information from the presentation file and generated as a
7 result of outputting contents of the presentation file; and
8 transmitting the information received from the first data processing system from
9 the adapter to a second data processing system, wherein the second data processing system is
10 enabled to output the information received from the adapter during the presentation of
11 information from the presentation file.